

## Results of ALIVE: A Faith-Based Pilot Intervention to Improve Diet Among African American Church Members

Elizabeth Lynch, PhD,<sup>1</sup> Erin Emery-Tiburcio, PhD,<sup>2</sup> Sheila Dugan, MD,<sup>3</sup> Francine Stark White, MDiv,<sup>4</sup> Clayton Thomason, JD,<sup>1</sup>

LaDawne Jenkins, MA,<sup>1</sup> Catherine Feit,<sup>1</sup> Elizabeth Avery-Mamer, MA,<sup>1</sup> Yamin Wang, MA,<sup>1</sup> Laurin Mack, PhD,<sup>2</sup> and Alan Ragland, DMin<sup>4</sup>

(1) Department of Preventive Medicine, Rush University Medical Center; (2) Department of Behavioral Sciences, Rush University Medical Center; (3) Department of Physical Medicine and Rehabilitation, Rush University Medical Center, (4) Third Baptist Church of Chicago; (5) Department of Health and Human Values, Rush University Medical Center

### What Is the Purpose of This Study?

- The ALIVE intervention is a church-based dietary intervention to increase vegetable consumption among African American church members that was designed by a partnership between researchers, African American pastors, and church leaders in the Chicagoland area.
- The ALIVE intervention reflected local community knowledge and values because it was designed and delivered by pastors and church members using a community-based participatory research approach.
- The ALIVE study measured the feasibility of implementing and evaluating the ALIVE intervention.

### What Is the Problem?

- African Americans have a higher prevalence of cardiovascular disease than other racial groups. Improving diet in African Americans could reduce this disparity.
- Dietary interventions have been less successful with African Americans than other subgroups possibly owing to insufficient cultural tailoring and skepticism about medical research among African Americans.
- A promising cultural tailoring strategy is to conduct interventions in the trusted setting of the Black church. A number of dietary interventions have been conducted in Black churches and many have resulted in increased vegetable consumption but few have been designed and/or conducted in partnership with church community members.
- A community-based participatory approach to intervention development and implementation has the potential to increase church member engagement and intervention effectiveness.

### What Are the Findings?

- The ALIVE intervention resulted in a mean increase of one vegetable serving over 9 months as well as improvements in total diet quality and reductions in weight and blood pressure.
- ALIVE was successfully adapted to a range of church settings.

### Who Should Care Most?

- African American congregations.
- Health professionals.
- Researchers and community members interested in reducing health disparities.

## Recommendations for Action

- Health disparity researchers should use a community-based participatory research approach to develop culturally tailored interventions to improve health equity.
- Programs aimed at reducing health disparities and promoting wellness should leverage preexisting social structures and values within subgroups to promote education and motivation for health behavior change.